



Description

Transparent Infill Colour Pigments are a combination of Acrylic and Epoxy transparent resins with exceptional properties. These pigments are designed to be mixed into Clear Colour Base & Hardener and applied by hand using an application bottle or pipette onto all types of glass including Toughened / Tempered Glass. The products are industrial grade and are chemically curing. They are non-isocyanate. The pigments are all intermixable and can therefore create any colour including translucent and opaque shades. The product is UV stable and weather resistant.

Recommended Substrates

Glass, Toughened / Tempered Glass

Features and Benefits

10 coloured pigments that can be inter-mixed to create any colour | High gloss surface | Excellent Surface Adhesion | UV stable and weather resistant | Excellent scratch resistance | 10 year external warranty | Suitable for use within double and triple glazed sealed units | Resistant to high temperature | Water resistant | Good chemical resistance

Mixing and Application

Cleaning: Clean the glass thoroughly using Creative Resins non filming glass cleaner. For application onto Satin or Acid etched glass clean using Creative Resins glass cleaner.

Hand Application: Mix Clear Colour Base and Clear Colour Hardener together in equal amounts and add a small amount of your chosen Transparent Infill pigment. Stir well and allow one or two minutes for the air bubbles to disperse. Apply using an application bottle or pipette.

Chemical Properties

Material: Acrylic and Epoxy

Colour: 10 Transparent Colour (Intermixable)

Product viscosity: 24 sec / Ford 4 Cup

Touch dry at 20°C: 20-30 minutes.

Total dry at 20°C: 24-36 hours

Full Cure: Up to 7 days

Unit 17C, Upper Field Road, Sittingbourne, Kent, ME10 3UP UK

✉ info@creative-resins.co.uk

🌐 www.creative-resins.co.uk

☎ 00 44 (0) 1795 411 820



